



Kladky
Pulley

Kladka s nylonovou cívkou


povrch: galvanický zinkochromát (bílý) > 8µm

materiál: pouzdro zinková slitina, cívka nylon

Rigid pulley with nylon spool

finish: galvanized > 8µm

material: zinc alloy, nylon pulley



Kód Art. No.	m mm	d1 mm	d2 mm	l mm	nosnost WLL kg	kg/100ks kg/100pcs	ks pcs	ks pcs
3641.05	5	10	15	50	80	2,0	20	1 000
3641.06	6	11	20	60	100	3,6	20	600
3641.07	7	12	25	70	120	5,3	10	400
3641.08	8	13	32	80	160	8,1	10	250
3641.09	9	16	40	90	200	13,3	5	150
3641.12	12	18	50	110	250	17,6	5	100
3641.15	15	20	65	135	300	41,5	1	50

Kladka dvojitá s nylonovou cívkou


povrch: galvanický zinkochromát (bílý) > 8µm

materiál: pouzdro zinková slitina, cívka nylon

Double rigid pulley with nylon spool

finish: galvanized > 8µm

material: zinc alloy, nylon pulley



Kód Art. No.	m mm	d1 mm	d2 mm	l mm	nosnost WLL kg	kg/100ks kg/100pcs	ks pcs	ks pcs
3642.05	5	10	15	50	80	3,4	10	600
3642.06	6	11	20	60	100	5,8	10	300
3642.07	7	12	25	70	120	7,3	10	200
3642.08	8	13	32	80	160	11,7	5	150
3642.09	9	16	40	90	200	17,1	5	100
3642.12	12	18	50	110	250	29,0	1	60

Kladka s kovovou cívkou


povrch: poniklováno a pomosazeno

materiál: pouzdro zinková slitina, cívka ocel

Rigid pulley with steel spool

finish: nickel and brass plated

material: zinc alloy, steel pulley



Kód Art. No.	m mm	d1 mm	d2 mm	l mm	nosnost WLL kg	kg/100ks kg/100pcs	ks pcs	ks pcs
3643.05	5	4	15	36	50	1,5	20	1 000
3643.06	6	5	20	42	60	2,3	20	600
3643.07	7	6	25	52	80	4,2	10	400
3643.08	8	10	30	72	120	7,1	10	250
3643.09	9	10	40	76	120	8,6	5	150
3643.10	10	13	50	97	150	16,8	5	100

Kladka dvojitá s kovovou cívkou


povrch: žlutý zinkochromát > 10µm

materiál: pouzdro zinková slitina, cívka ocel

Double rigid pulley

finish: yellow galvanized > 10µm

material: zinc alloy, steel pulley



Kód Art. No.	m mm	d1 mm	d2 mm	l mm	nosnost WLL kg	kg/100ks kg/100pcs	ks pcs	ks pcs
3644.05	5	4	15	36	50	1,5	20	1 000
3644.06	6	5	20	42	60	2,3	20	600
3644.07	7	6	25	52	80	4,2	10	400
3644.08	8	10	30	72	120	7,1	10	250
3644.09	9	10	40	76	120	8,6	5	150
3644.10	10	13	50	97	150	16,8	5	100

Kladka s odklápěcí bočnicí - hák

povrch: práškový lak

materiál: zušlechtěná ocel, hák a cívka legovaná ocel

Použití: stavebnictví - pro ocelová i textilní lana




Snatch block open side - hook

finish: painted

material: drop forged

application: for textile and steel ropes



Kód Art. No.	A1 mm	B mm	C1 mm	D mm	lano rope	nosnost WLL kg	kg/1ks kg/1pcs	ks pcs	ks pcs
3682.08	268	87	50	75	8-10	500	1,4	10	
3682.10	312	112	55	100	12-14	1000	2,4	5	
3682.13	405	140	63	125	16-18	1500	3,8	3	
3682.16	443	168	101	150	18-20	2000	6,0	2	
3682.19	498	204	107	180	20-22	3000	10,3	1	

Kladka s odklápěcí bočnicí - oko

povrch: práškový lak

materiál: zušlechtěná ocel, hák a cívka legovaná ocel

Použití: stavebnictví - pro ocelová i textilní lana




Snatch block open side - eye

finish: painted

material: drop forged

application: for textile and steel ropes



Kód Art. No.	A1 mm	B mm	C1 mm	D mm	lano rope	nosnost WLL kg	kg/1ks kg/1pcs	ks pcs	ks pcs
3683.08	290	87	50	75	8-10	500	1,6	10	
3683.10	285	112	55	100	12-14	1000	2,5	5	
3683.13	344	140	63	125	16-18	1500	4,0	3	
3683.16	417	168	101	150	18-20	2000	6,3	2	

Kladka se šroubem - litina


povrch: žlutý zinkochromát > 10µm

materiál: pouzdro ocel, cívka zinková slitina

Pulley with screw

finish: yellow galvanized > 10µm

material: steel and zinc alloy pulley



Kód Art. No.	Ø mm	d1 mm	d2 mm	l1 mm	L mm	kg/1ks kg/1pcs	ks pcs	ks pcs	ks pcs
3653.08	12	12	32	30	80	4,0	20	500	
3653.10	16	16	43	45	100	6,0	10	250	

Kladka se šroubem - nylon


povrch: žlutý zinkochromát > 10µm

materiál: pouzdro ocel, cívka nylon

Pulley with screw

finish: yellow galvanized > 10µm

material: steel and nylon



Kód Art. No.	Ø mm	d1 mm	d2 mm	l1 mm	L mm	kg/1ks kg/1pcs	ks pcs	ks pcs	ks pcs
3653.08	8	12	45	30	100		10	500	
3653.10	10	16	60	45	120		5	250	